

# SYMPHONY®

## MIO POWER / DATA MODULES

### 2023 PRICE LIST

version #083123

#### Minimum order / Freight charge


Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net

Orders only containing power supplies will have a reduced “small order” freight charge, please email [service@symphonytables.com](mailto:service@symphonytables.com) for a quote.




# power supply location chart

## running long ways on the top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email [service@symphonytables.com](mailto:service@symphonytables.com) for help with specifying your project. For the additional resources, please visit [www.symphonytables.com](http://www.symphonytables.com).

**Please specify the power supply location cut out on your PO:**

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact [service@symphonytables.com](mailto:service@symphonytables.com) to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

# power supply location chart

## running short ways on the top

**Please specify the power supply location cut out on your PO:**

POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact [service@symphonytables.com](mailto:service@symphonytables.com) to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

# Mio in surface single-sided unit

module	description	# of ports	model no.	cord length	finish code	list
Mio in surface single-sided unit	3 power 4"D x 6.5"W table top cut out, specify location	3	OPPMIO3P0A0D06MS	6 ft.	MS	410
			OPPMIO3P0A0D06MW	6 ft.	MW	410
			OPPMIO3P0A0D06MB	6 ft.	MB	410
			OPPMIO3P0A0D06GS	6 ft.	GS	410
			OPPMIO3P0A0D10MS	10 ft.	MS	430
			OPPMIO3P0A0D10MW	10 ft.	MW	430
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPMIO2PAC0D06MS	6 ft.	MS	540
			OPPMIO2PAC0D06MW	6 ft.	MW	540
			OPPMIO2PAC0D06MB	6 ft.	MB	540
			OPPMIO2PAC0D06GS	6 ft.	GS	540
			OPPMIO2PAC0D10MS	10 ft.	MS	560
			OPPMIO2PAC0D10MW	10 ft.	MW	560
3 power, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO3P0A1D06MS	6 ft.	MS	420	
		OPPMIO3P0A1D06MW	6 ft.	MW	420	
		OPPMIO3P0A1D06MB	6 ft.	MB	420	
		OPPMIO3P0A1D06GS	6 ft.	GS	420	
		OPPMIO3P0A1D10MS	10 ft.	MS	440	
		OPPMIO3P0A1D10MW	10 ft.	MW	440	
2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1D06MS	6 ft.	MS	550	
		OPPMIO2PAC1D06MW	6 ft.	MW	550	
		OPPMIO2PAC1D06MB	6 ft.	MB	550	
		OPPMIO2PAC1D06GS	6 ft.	GS	550	
		OPPMIO2PAC1D10MS	10 ft.	MS	570	
		OPPMIO2PAC1D10MW	10 ft.	MW	570	
2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1H06MS	6 ft.	MS	630	
		OPPMIO2PAC1H06MW	6 ft.	MW	630	
		OPPMIO2PAC1H06MB	6 ft.	MB	630	
		OPPMIO2PAC1H06GS	6 ft.	GS	630	
		OPPMIO2PAC1H10MS	10 ft.	MS	650	
		OPPMIO2PAC1H10MW	10 ft.	MW	650	
	OPPMIO2PAC1H10MB	10 ft.	MB	650		
	OPPMIO2PAC1H10GS	10 ft.	GS	650		

Mio single-sided cut out information:

# of ports.	"X" Dim
2	5"
3	6.5"
4	8"




- MIO SERIES FINISH CODE LEGEND:
- MS** - Matte storm powder coated aluminum with storm simplexes, window frames and end cap, black cord.
  - MW** - Matte white powder coated aluminum with white simplexes, window frames and end cap, black cord.
  - MB** - Matte black powder coated aluminum with black simplexes, window frames and end cap, black cord.
  - GS** - Gloss silver powder coated aluminum with white simplexes, window frames and end cap, white cord.

# Mio in surface back-to-back

module	description	# of ports	model no.	cord length	finish code	list
Mio in surface back-to-back unit	Each side contains: 3 power, 1 open data Total of 6 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify	8 (4/side)	OPPMIB6P0A2D06MS	6 ft.	MS	830
			OPPMIB6P0A2D06MW	6 ft.	MW	830
			OPPMIB6P0A2D06MB	6 ft.	MB	830
			OPPMIB6P0A2D10MS	10 ft.	MS	850
			OPPMIB6P0A2D10MW	10 ft.	MW	850
			OPPMIB6P0A2D10MB	10 ft.	MB	850
	Each side contains: 2 power, 1 USB-A+C, 1 open data Total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify	8 (4/side)	OPPMIB4P2AC2D06MS	6 ft.	MS	1,080
			OPPMIB4P2AC2D06MW	6 ft.	MW	1,080
			OPPMIB4P2AC2D06MB	6 ft.	MB	1,080
			OPPMIB4P2AC2D10MS	10 ft.	MS	1,100
			OPPMIB4P2AC2D10MW	10 ft.	MW	1,100
			OPPMIB4P2AC2D10MB	10 ft.	MB	1,100
Each side contains: 2 power, 2 open data Total of 4 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify	8 (4/side)	OPPMIB4P0A4D06MS	6 ft.	MS	820	
		OPPMIB4P0A4D06MW	6 ft.	MW	820	
		OPPMIB4P0A4D06MB	6 ft.	MB	820	
		OPPMIB4P0A4D10MS	10 ft.	MS	840	
		OPPMIB4P0A4D10MW	10 ft.	MW	840	
		OPPMIB4P0A4D10MB	10 ft.	MB	840	
Each side contains: 2 power, 1 USB-A+C, 1 dual charging USB-C Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w per unit 7-11/16"D x 8"L table top cut out, specify	8 (4/side)	OPPMIB4P2AC2C06MS	6 ft.	MS	1,690	
		OPPMIB4P2AC2C06MW	6 ft.	MW	1,690	
		OPPMIB4P2AC2C06MB	6 ft.	MB	1,690	
		OPPMIB4P2AC2C10MS	10 ft.	MS	1,710	
		OPPMIB4P2AC2C10MW	10 ft.	MW	1,710	
		OPPMIB4P2AC2C10MB	10 ft.	MB	1,710	

Mio Back-To-Back cut out information:



MIO SERIES FINISH CODE LEGEND:

- MS** - Matte storm powder coated aluminum with storm simplexes, window frames and end cap, black cord.
- MW** - Matte white powder coated aluminum with white simplexes, window frames and end cap, black cord.
- MB** - Matte black powder coated aluminum with black simplexes, window frames and end cap, black cord.