

# SYMPHONY®

## OCHO & OVI POWER / DATA MODULES

### 2023 PRICE LIST

version #101123

#### Minimum order / Freight charge


Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net

Orders only containing power supplies will have a reduced "small order" freight charge, please email [service@symphonytables.com](mailto:service@symphonytables.com) for a quote.




# power supply location chart

## running long ways on the top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email [service@symphonytables.com](mailto:service@symphonytables.com) for help with specifying your project. For the additional resources, please visit [www.symphonytables.com](http://www.symphonytables.com).

**Please specify the power supply location cut out on your PO:**

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact [service@symphonytables.com](mailto:service@symphonytables.com) to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

# power supply location chart



## running short ways on the top

**Please specify the power supply location cut out on your PO:**





POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:





Note that power supplies cannot be placed over metal base plates, contact [service@symphonytables.com](mailto:service@symphonytables.com) to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

module	description	# of ports	model no.	cord length	finish code	list	
Ocho above surface clamp mount 	1 power, 1 USB-A 2.4 amp, 1 USB-C 60w	2	OPPOCA1PAC06B	6 ft.	B	450	
			OPPOCA1PAC06G	6 ft.	G	450	
			OPPOCA1PAC06S	6 ft.	S	450	
			OPPOCA1PAC06W	6 ft.	W	450	
			OPPOCA1PAC10B	10 ft.	B	470	
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCA2PAC06B	6 ft.	B	480	
			OPPOCA2PAC06G	6 ft.	G	480	
			OPPOCA2PAC06S	6 ft.	S	480	
			OPPOCA2PAC06W	6 ft.	W	480	
			OPPOCA2PAC10B	10 ft.	B	500	
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCA3PAC06B	6 ft.	B	550	
			OPPOCA3PAC06G	6 ft.	G	550	
			OPPOCA3PAC06S	6 ft.	S	550	
			OPPOCA3PAC06W	6 ft.	W	550	
			OPPOCA3PAC10B	10 ft.	B	570	
Ocho flush in surface 	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w 2.19" x 6" table top cut out, specify location	3	OPPOCF2PAC06B	6 ft.	B	460	
			OPPOCF2PAC06G	6 ft.	G	460	
			OPPOCF2PAC06S	6 ft.	S	460	
			OPPOCF2PAC06W	6 ft.	W	460	
			OPPOCF2PAC10B	10 ft.	B	480	
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI 2.19" x 8.5" table top cut out, specify location	5	OPPOCF3PAC06B	6 ft.	B	540	
			OPPOCF3PAC06G	6 ft.	G	540	
			OPPOCF3PAC06S	6 ft.	S	540	
			OPPOCF3PAC06W	6 ft.	W	540	
			OPPOCF3PAC10B	10 ft.	B	560	
	Ocho in surface pop-up 	2 power 1 dual charging USB-A 4.746"D x 6.79"W table top cut out, specify location	3	OPPOCH2P1U06B	6 ft.	B	550
				OPPOCH2P1U06G	6 ft.	G	550
				OPPOCH2P1U06S	6 ft.	S	550
				OPPOCH2P1U06W	6 ft.	W	550
				OPPOCH2P1U10B	10 ft.	B	570
3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI		5	OPPOCH2P1U10G	10 ft.	G	570	
			OPPOCH2P1U10S	10 ft.	S	570	
			OPPOCH2P1U10W	10 ft.	W	570	
			OPPOCU2PAC06B	6 ft.	B	480	
			OPPOCU2PAC06G	6 ft.	G	480	
Ocho under surface mount 		2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCU2PAC06S	6 ft.	S	480
				OPPOCU2PAC06W	6 ft.	W	480
				OPPOCU2PAC10B	10 ft.	B	500
				OPPOCU2PAC10G	10 ft.	G	500
				OPPOCU2PAC10S	10 ft.	S	500
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCU2PAC10W	10 ft.	W	500	
			OPPOCU3PAC06B	6 ft.	B	550	
			OPPOCU3PAC06G	6 ft.	G	550	
			OPPOCU3PAC06S	6 ft.	S	550	
			OPPOCU3PAC06W	6 ft.	W	550	
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCU3PAC10B	10 ft.	B	570	
			OPPOCU3PAC10G	10 ft.	G	570	
			OPPOCU3PAC10S	10 ft.	S	570	
			OPPOCU3PAC10W	10 ft.	W	570	





**OCHO SERIES FINISH CODE LEGEND:**

-  B - Black plastic face, black metal trim, black cord
-  S - White plastic face, silver metal trim, white cord
-  G - Grey plastic face, silver metal trim, black cord
-  W - White plastic face, white metal trim, white cord

module	description	model no.	cord length	finish code	list	
Ovi with convenience outlet(s) 	2 power, 1 convenience outlet below the worksurface 2"D x 5.25"W table top cut out size - specify placement	OPPOVI2P0U91SB	9 ft.	SB	430	
		OPPOVI2P0U91BB	9 ft.	BB	430	
		OPPOVI2P0U91GW	9 ft.	GW	430	
		OPPOVI2P0U91AB	9 ft.	AB	530	
		** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet				
	2 power, 1 dual charging USB-A, 2 convenience outlets below the 2"D x 7.25"W table top cut out size - specify placement	OPPOVI2P1U92SB	9 ft.	SB	750	
		OPPOVI2P1U92BB	9 ft.	BB	750	
		OPPOVI2P1U92GW	9 ft.	GW	750	
		OPPOVI2P1U92AB	9 ft.	AB	840	
		** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet				
	3 power, 1 dual charging USB-A, 1 convenience outlet below the worksurface 2"D x 7.25"W table top cut out size - specify placement	OPPOVI3P1U91SB	9 ft.	SB	720	
		OPPOVI3P1U91BB	9 ft.	BB	720	
		OPPOVI3P1U91GW	9 ft.	GW	720	
	** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI3P1U91AB	9 ft.	AB	840	
		Ovi (no convenience outlets)	2 power 2"D x 4.5"W table top cut out size - specify placement	OPPOVI2P0U9SB	9 ft.	SB
OPPOVI2P0U9BB				9 ft.	BB	410
OPPOVI2P0U9GW	9 ft.			GW	410	
OPPOVI2P0U9AB	9 ft.			AB	480	
1 power, 1 dual charging USB-A 2"D x 4.5"W table top cut out size - specify placement	OPPOVI1P1U9SB			9 ft.	SB	550
	OPPOVI1P1U9BB	9 ft.	BB	550		
	OPPOVI1P1U9GW	9 ft.	GW	550		
OPPOVI1P1U9AB	9 ft.	AB	630			
	2 power, 1 dual charging USB-A 2"D x 5.25"W table top cut out size - specify placement	OPPOVI2P1U9SB	9 ft.	SB	570	
		OPPOVI2P1U9BB	9 ft.	BB	570	
OPPOVI2P1U9GW		9 ft.	GW	570		
OPPOVI2P1U9AB	9 ft.	AB	660			
	3 power 2"D x 5.75"W table top cut out size - specify placement	OPPOVI3P0U9SB	9 ft.	SB	610	
		OPPOVI3P0U9BB	9 ft.	BB	610	
OPPOVI3P0U9GW		9 ft.	GW	610		
OPPOVI3P0U9AB	9 ft.	AB	720			
	3 power, 1 dual charging USB-A 2"D x 7.25"W table top cut out size - specify placement	OPPOVI3P1U9SB	9 ft.	SB	720	
		OPPOVI3P1U9BB	9 ft.	BB	720	
OPPOVI3P1U9GW		9 ft.	GW	720		
OPPOVI3P1U9AB	9 ft.	AB	840			
	4 power 2"D x 7.25"W table top cut out size - specify placement	OPPOVI4P0U9SB	9 ft.	SB	660	
		OPPOVI4P0U9BB	9 ft.	BB	660	
OPPOVI4P0U9GW		9 ft.	GW	660		
OPPOVI4P0U9AB	9 ft.	AB	780			
	4 power, 1 dual charging USB-A 2"D x 8.25"W table top cut out size - specify placement	OPPOVI4P1U9SB	9 ft.	SB	750	
		OPPOVI4P1U9BB	9 ft.	BB	750	
OPPOVI4P1U9GW		9 ft.	GW	750		
OPPOVI4P1U9AB	9 ft.	AB	870			
	6 power 2"D x 10.25"W table top cut out size - specify placement	OPPOVI6P0U9SB	9 ft.	SB	690	
		OPPOVI6P0U9BB	9 ft.	BB	690	
OPPOVI6P0U9GW		9 ft.	GW	690		
OPPOVI6P0U9AB	9 ft.	AB	780			
	Ovi Round (no convenience outlets)	1 power, 1 dual charging USB-A 2"D x 4.5"W table top cut out size - specify placement	OPPOVR1P1U9SB	9 ft.	SB	550
			OPPOVR1P1U9BB	9 ft.	BB	550
OPPOVR1P1U9GW			9 ft.	GW	550	
2 power, 1 dual charging USB-A 2"D x 5.25"W table top cut out size - specify placement	OPPOVR2P1U9SB	9 ft.	SB	570		
	OPPOVR2P1U9BB	9 ft.	BB	570		
	OPPOVR2P1U9GW	9 ft.	GW	570		
2 power 2"D x 4.5"W table top cut out size - specify placement	OPPOVR2P0U9SB	9 ft.	SB	420		
	OPPOVR2P0U9BB	9 ft.	BB	420		
	OPPOVR2P0U9GW	9 ft.	GW	420		



**OVI SERIES FINISH CODE LEGEND:**

-  SB - Silver powdercoat finish, black simplex finish
-  BB - black powdercoat finish, black simplex finish
-  GW - Gloss white powdercoat finish, white simplex finish
-  AB - brushed aluminum finish, black simplex finish (not available on Ovi Round units)

\* REFERENCE THE CUT OUT SIZE UNDER EACH OVI POWER MODULE FOR THE VALUE OF "X"