

Moto base sets





For complete model number:

1. Insert glide/caster selection :


G glides - prices listed

C casters, see below chart for upcharge and availability


E premium casters, see below chart for upcharge and availability

base	base dim.	max top support	base set model no.	list	glide/caster option		
Moto fixed T 	18	24 x 96	BTMOT24096SD _ ME	660	G \$0 glides C + \$80 casters E + \$120 premium casters		
	22	30 x 96	BTMOT30096SD _ ME	700			
	26	36 x 96	BTMOT36096SD _ ME	750			
Moto 2 fixed T 	18	24 x 96	BTMO224096SD _ ME	520			
	22	30 x 96	BTMO230096SD _ ME	540			
	26	36 x 96	BTMO236096SD _ ME	580			
Moto double column T 	(2) 26	36 x 96	BTMOT360962D G ME	1,060		G \$0 glides	
	(3) 26	36 x 144	BTMOT361442D G ME	1,590			
	(2) 32	42 x 96	BTMOT420962D G ME	1,120			
	(3) 32	42 x 144	BTMOT421442D G ME	1,680			
	(4) 32	42 x 192	BTMOT421922D G ME	2,240			
	(2) 36	48 x 96	BTMOT480962D G ME	1,200			
	(3) 36	48 x 144	BTMOT481442D G ME	1,800			
	(4) 36	48 x 192	BTMOT481922D G ME	2,400			
	Moto 2 (2" column) flip nest with beam 	18	24 x 60	BTMO224060NB _ ME	1,160		G \$0 glides C + \$80 casters E + \$120 premium casters
		22	30 x 60	BTMO230060NB _ ME	1,170		
26		36 x 60	BTMO236060NB _ ME	1,220			
18		24 x 72	BTMO224072NB _ ME	1,190			
22		30 x 72	BTMO230072NB _ ME	1,200			
26		36 x 72	BTMO236072NB _ ME	1,250			
flip nest without beam		18	24 x 72	BTMO224072NE _ ME	1,020		
	22	30 x 72	BTMO230072NE _ ME	1,040			

MOTO FLIP MECH WITH BEAM IMAGE:



MOTO FLIP MECH WITHOUT BEAM IMAGE:



Moto flip nest bases with a beam do not require top stiffeners

The cost of the top stiffener is included in the standard Symphony top price.

Deduct the following from the list price shown for a top in the top section of the price list

-\$40 list for tops that are up to 24" deep (1 stiffener)

-\$80 list for tops that are up to 36" deep (2 stiffeners)

Note that the "NE" model numbers do not have a beam and therefore the bases cannot be spread more than 50" apart at center when using top stiffeners.



C casters + \$80

2" black dual wheel locking, see chart for availability



E premium casters + \$120

2" silver/black dual wheel locking, see chart for availability

Standard metal powder coat finishes (ME):

Black Wrinkle, Chateau Brown Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Note that the fixed T and double column bases cannot be spread more than 50" apart at center when using top stiffeners.

Moto base sets


For complete model number:

1. Insert glide/caster selection :

G glides - prices listed

C casters, see below chart for upcharge and availability

E premium casters, see below chart for upcharge and availability

base	qty + dim.	max top support	base set model no.	list	glide/caster option
Moto (3" column) crank 	18	24 x 72	BTMOT24072SC _ ME	1,290	G \$0 glides C + \$80 casters E + \$120 premium casters
	22	30 x 72	BTMOT30072SC _ ME	1,300	
	26	36 x 72	BTMOT36072SC _ ME	1,340	
pneumatic counter balance	18	24 x 42	BTMOT24042SN _ ME	2,280	
	18	24 x 54	BTMOT24054SN _ ME	2,300	
	18	24 x 60	BTMOT24060SN _ ME	2,310	
	18	24 x 66	BTMOT24066SN _ ME	2,330	
	18	24 x 72	BTMOT24072SN _ ME	2,350	
	22	30 x 42	BTMOT30042SN _ ME	2,300	
	22	30 x 54	BTMOT30054SN _ ME	2,320	
	22	30 x 60	BTMOT30060SN _ ME	2,330	
	22	30 x 66	BTMOT30066SN _ ME	2,350	
	22	30 x 72	BTMOT30072SN _ ME	2,360	
electric 2-stage	26	36 x 42	BTMOT36042SN _ ME	2,350	
	26	36 x 54	BTMOT36054SN _ ME	2,360	
	26	36 x 60	BTMOT36060SN _ ME	2,380	
	26	36 x 66	BTMOT36066SN _ ME	2,390	
	26	36 x 72	BTMOT36072SN _ ME	2,410	
	18	24 x 72	BTMOT24072SE _ ME	2,190	
	22	30 x 72	BTMOT30072SE _ ME	2,200	
	26	36 x 72	BTMOT36072SE _ ME	2,240	

C Crank adjustment (Moto)

base height with glides 26" - 43.75" (17.75" range)

base height with casters 28" - 45.75"

-screw thread adjustment with infinite stop positions

-adjust with manual crank handle which slides under table when not in use

-maximum lifting load 225 lbs for two columns (T base set)

E Pneumatic counter balance (Moto)

base height range with glides 26" - 45.5" (19.5" range)

base height range with casters 28" - 47.5"

-Frame widths will accommodate tops from 42" - 72" long and 24" - 36" deep. We cannot modify the frame to fit tops that are any other size due to the components used to make the pneumatic counter balance adjustable bases.

-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly.

E Electric adj. 26" - 45.75" (Moto)

- touch switch for infinite stop positions

adjustment speed 1.97" per second

- simple up-down keypad control

- **programmable keypad available for \$130 list per table, model number OBMOTPROG**

- maximum lifting load 225 lbs for 2 columns (set of T bases)

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

Standard metal powder coat finishes (ME)

Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

** Note that the inner column of Moto and Kenna height adjustable bases are only available in Flat Black, White or Metallic Silver. Note that Moto White is a shade off and a little creamier than Furniture White. The Moto Counter balance and Ratchet height adjustable bases inner and outer columns are only available in Flat Black, Moto White and Metallic Silver.

Moto base sets




For complete model number:

1. Insert glide/caster selection :

G glides - see below for availability

C casters, see below for price and availability

P premium casters, see below for price and availability

base	base dim.	max top support	base set model no.	list	glide/caster option(s)
Moto fixed C 	18	24 x 96	BCMOT24096SD _ ME	690	G \$0 glides
	22	30 x 96	BCMOT30096SD _ ME	730	
	26	36 x 96	BCMOT36096SD _ ME	770	
Moto 2 fixed C 	18	24 x 96	BCMO224096SD _ ME	570	C + \$80 casters P + \$120 premium casters
	22	30 x 96	BCMO230096SD _ ME	600	
	26	36 x 96	BCMO236096SD _ ME	630	
Moto 2 flip nest C with beam 	18	24 x 60	BCMO224060NB _ ME	1,210	C + \$80 casters P + \$120 premium casters
	18	24 x 72	BCMO230072NB _ ME	1,220	
	22	30 x 60	BCMO230060NB _ ME	1,240	
	22	30 x 72	BCMO230072NB _ ME	1,250	
	22	30 x 72	BCMO230072NB _ ME	1,250	


Moto flip nest bases with a beam do not require top stiffeners

The cost of the top stiffener is included in the standard Symphony top price.

Deduct the following from the list price shown for a top in the top section of the price list

-\$40 list for tops that are up to 24" deep (1 stiffener)

-\$80 list for tops that are up to 36" deep (2 stiffeners)

Moto	crank	base dim.	max top support	base set model no.	list	glide/caster option(s)
		18	24 x 72	BCMOT24072SC _ ME	1,340	G \$0 glides
		22	30 x 72	BCMOT30072SC _ ME	1,360	
		26	36 x 72	BCMOT36072SC _ ME	1,390	
		26	36 x 72	BCMOT36072SC _ ME	1,390	
electric 2-stage		18	24 x 72	BCMOT24072SE G ME	2,260	C + \$80 casters P + \$120 premium casters
		22	30 x 72	BCMOT30072SE G ME	2,270	
		26	36 x 72	BCMOT36072SE G ME	2,290	

C casters + \$80
2" black dual wheel locking

P premium casters + \$120
2" silver/black dual wheel locking

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Chateau Brown Wrinkle (CB), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

** Note that the inner column of Moto height adjustable bases are only available in black, white or metallic silver. Note that Moto White is a shade off and a little creamier than Furniture White.

Note that the fixed C bases cannot be spread more than 50" apart at center when using top stiffeners.

C Crank adjustment (Moto)

base height with glides 26" - 43.75" (17.75" range)

base height with casters 28" - 45.75"

-screw thread adjustment with infinite stop positions

-adjust with manual crank handle which slides under table when not in use

-maximum lifting load 225 lbs for two columns (C base set)

E Electric adj. 26" - 45.75" (Moto)

- touch switch for infinite stop positions

adjustment speed 1.97" per second

- simple up-down keypad control

- programmable keypad available for \$130 list per table, model number OBMOTPROG

- maximum lifting load 225 lbs for 2 columns (set of C bases)

Moto base X, post





For complete model number:

1. Insert glide/caster selection :

G glides - see below for availability

C casters, see below for pricing and availability

P premium casters, see below for pricing and availability

base	base dim.	max top support	base model no.	list	glide/caster	
Moto fixed X 	22 x 22	24 x 24, 30 rd	BXMOT24024SD _ ME	560	G \$0 glides	
	26 x 26	30 x 30, 36 rd	BXMOT30030SD _ ME	590		
	32 x 32	36 x 36, 42 rd	BXMOT36036SD _ ME	640		
	36 x 36	42 x 42, 48 rd	BXMOT42042SD _ ME	660		
	Additional fixed height options available for Moto fixed X base, (replace SD in model number with the following: SB Bar height + \$80 list SH custom Higher fixed height + \$80 list SL custom Lower fixed height + \$80 list					
Moto flip top X 	22 x 22	24 x 24, 30 rd	BXMOT24024FD _ ME	780	G \$0 glides	
	26 x 26	30 x 30, 36 rd	BXMOT30030FD _ ME	820		
	32 x 32	36 x 36, 42 rd	BXMOT36036FD _ ME	860		
Moto 	ratchet	22	24 x 24, 30 rd	BXMOT24024SR _ ME	810	C + \$80 casters P + \$120 premium casters
		26	30 x 30, 36 rd	BXMOT30030SR _ ME	840	
	crank	22	24 x 24, 30 rd	BXMOT24024SC _ ME	930	
		26	30 x 30, 36 rd	BXMOT30030SC _ ME	970	
pneumatic counter balance 	22 x 22	24 x 24, 30 rd	BXMOT24024SP _ ME	1,100	C + \$80 casters P + \$120 premium casters	
	26 x 26	30 x 30, 36 rd	BXMOT30030SP _ ME	1,140		
	32 x 32	36 x 36, 42 rd	BXMOT36036SP _ ME	1,170		
	36 x 36	42 x 42, 48 rd	BXMOT42042SP _ ME	1,200		
	Moto post base set (4) 27.75"H					
Moto single post base (1) 27.75"H	2 x 2	48 x 48, 60 rd	BPMOT4S02SSD _ ME	720	G \$0 glides	
	3 x 3	48 x 48, 60 rd	BPMOT4S03SSD _ ME	830		
Moto single post base (1) custom taller height	2 x 2	n/a	BPMOT1S02SSD _ ME	180	G \$0 glides	
	3 x 3	n/a	BPMOT1S03SSD _ ME	210		
Moto single post base (1) custom taller height	2 x 2	n/a	BPMOT1S02SSH _ ME	270	C + \$20 casters	
	3 x 3	n/a	BPMOT1S03SSH _ ME	320		
Moto single post base (1) custom lower height	2 x 2	n/a	BPMOT1S02SSL _ ME	270	P + \$30 premium	
	3 x 3	n/a	BPMOT1S03SSL _ ME	320		

R Ratchet height adjustment (Moto)

26" - 35.5" base height range with glides

28" - 37.5" base height range with casters

13 positions in 0.78 inch increments

change positions by manually lifting the table top

resets to lowest position when lifted to upper stop

C Crank adjustment (Moto)

base height range with glides 26" - 43.75"

base height range with casters 28" - 45.75"

-screw thread adjustment with infinite stop positions

-adjust with manual crank handle which slides under table when not in use

P Pneumatic counter balance (Moto)

base height range with glides 26" - 45.5"

base height range with casters 28" - 47.5"

-Must specify the weight of the top and all accessories that

will be used on the bases so that the lift capacity can be

set properly.

C casters + \$80
2" black dual wheel locking

P premium casters + \$120

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Chateau Brown Wrinkle (CB), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

** Note that the inner column of Moto height adjustable bases are only C, X, POST available in black, white or metallic silver. Note that Moto White is a shade off and a

Moto Frame bases

base	outside base dimensions	top size with 1" overhang on each side	base height	model no.	list	glide/caster option
Moto Frame Seated Height (27.75"H)	22 x 22	24 x 24	27.75	BFMOT24024S D ME	1,180	
	22 x 34	24 x 36	27.75	BFMOT24036S D ME	1,200	
	22 x 40	24 x 42	27.75	BFMOT24042S D ME	1,210	
	22 x 46	24 x 48	27.75	BFMOT24048S D ME	1,250	
	22 x 58	24 x 60	27.75	BFMOT24060S D ME	1,260	
	22 x 70	24 x 72	27.75	BFMOT24072S D ME	1,300	
	28 x 28	30 x 30	27.75	BFMOT30030S D ME	1,200	
	28 x 34	30 x 36	27.75	BFMOT30036S D ME	1,210	
	28 x 40	30 x 42	27.75	BFMOT30042S D ME	1,220	
	28 x 46	30 x 48	27.75	BFMOT30048S D ME	1,230	
	28 x 58	30 x 60	27.75	BFMOT30060S D ME	1,280	
	28 x 70	30 x 72	27.75	BFMOT30072S D ME	1,310	
	34 x 34	36 x 36	27.75	BFMOT36036S D ME	1,250	
	34 x 40	36 x 42	27.75	BFMOT36042S D ME	1,260	
	34 x 46	36 x 48	27.75	BFMOT36048S D ME	1,270	
	34 x 58	36 x 60	27.75	BFMOT36060S D ME	1,320	
	34 x 70	36 x 72	27.75	BFMOT36072S D ME	1,350	
	40 x 40	42 x 42	27.75	BFMOT42042S D ME	1,270	
40 x 46	42 x 48	27.75	BFMOT42048S D ME	1,280		
40 x 58	42 x 60	27.75	BFMOT42060S D ME	1,310		
40 x 70	42 x 72	27.75	BFMOT42072S D ME	1,330		
46 x 46	48 x 48	27.75	BFMOT48048S D ME	1,290		
46 x 58	48 x 60	27.75	BFMOT48060S D ME	1,340		
46 x 70	48 x 72	27.75	BFMOT48060S D ME	1,370		
Moto Frame Counter Height (34.75"H)	22 x 22	24 x 24	34.75	BFMOT24024S C ME	1,260	
	22 x 34	24 x 36	34.75	BFMOT24036S C ME	1,280	
	22 x 40	24 x 42	34.75	BFMOT24042S C ME	1,290	
	22 x 46	24 x 48	34.75	BFMOT24048S C ME	1,340	
	22 x 58	24 x 60	34.75	BFMOT24060S C ME	1,350	
	22 x 70	24 x 72	34.75	BFMOT24072S C ME	1,380	
	28 x 28	30 x 30	34.75	BFMOT30030S C ME	1,280	
	28 x 34	30 x 36	34.75	BFMOT30036S C ME	1,290	
	28 x 40	30 x 42	34.75	BFMOT30042S C ME	1,300	
	28 x 46	30 x 48	34.75	BFMOT30048S C ME	1,310	
	28 x 58	30 x 60	34.75	BFMOT30060S C ME	1,360	
	28 x 70	30 x 72	34.75	BFMOT30072S C ME	1,390	
	34 x 34	36 x 36	34.75	BFMOT36036S C ME	1,330	
	34 x 40	36 x 42	34.75	BFMOT36042S C ME	1,340	
	34 x 46	36 x 48	34.75	BFMOT36048S C ME	1,350	
	34 x 58	36 x 60	34.75	BFMOT36060S C ME	1,400	
	34 x 70	36 x 72	34.75	BFMOT36072S C ME	1,430	
	40 x 40	42 x 42	34.75	BFMOT42042S C ME	1,350	
	40 x 46	42 x 48	34.75	BFMOT42048S C ME	1,360	
	40 x 58	42 x 60	34.75	BFMOT42060S C ME	1,390	
	40 x 70	42 x 72	34.75	BFMOT42072S C ME	1,410	
	46 x 46	48 x 48	34.75	BFMOT48048S C ME	1,370	
	46 x 58	48 x 60	34.75	BFMOT48060S C ME	1,420	
	46 x 70	48 x 72	34.75	BFMOT48060S C ME	1,450	

☞ \$0 glides


☞ + \$220 casters (3.5"H locking)

Moto Frame bases

base	outside base dimensions	top size with 1" overhang on each side	base height	model no.	list	glide/caster option
Moto Frame Bar Height (40.75"H)	22 x 22	24 x 24	40.75	BFMOT24024S B ME	1,330	
	22 x 34	24 x 36	40.75	BFMOT24036S B ME	1,350	
	22 x 40	24 x 42	40.75	BFMOT24042S B ME	1,370	
	22 x 46	24 x 48	40.75	BFMOT24048S B ME	1,410	
	22 x 58	24 x 60	40.75	BFMOT24060S B ME	1,430	
	22 x 70	24 x 72	40.75	BFMOT24072S B ME	1,450	
	28 x 28	30 x 30	40.75	BFMOT30030S B ME	1,350	
	28 x 34	30 x 36	40.75	BFMOT30036S B ME	1,360	
	28 x 40	30 x 42	40.75	BFMOT30042S B ME	1,370	
	28 x 46	30 x 48	40.75	BFMOT30048S B ME	1,380	
	28 x 58	30 x 60	40.75	BFMOT30060S B ME	1,430	
	28 x 70	30 x 72	40.75	BFMOT30072S B ME	1,460	
	34 x 34	36 x 36	40.75	BFMOT36036S B ME	1,400	
	34 x 40	36 x 42	40.75	BFMOT36042S B ME	1,410	
	34 x 46	36 x 48	40.75	BFMOT36048S B ME	1,420	
	34 x 58	36 x 60	40.75	BFMOT36060S B ME	1,470	
	34 x 70	36 x 72	40.75	BFMOT36072S B ME	1,500	
	40 x 40	42 x 42	40.75	BFMOT42042S B ME	1,420	
40 x 46	42 x 48	40.75	BFMOT42048S B ME	1,430		
40 x 58	42 x 60	40.75	BFMOT42060S B ME	1,460		
40 x 70	42 x 72	40.75	BFMOT42072S B ME	1,480		
46 x 46	48 x 48	40.75	BFMOT48048S B ME	1,440		
46 x 58	48 x 60	40.75	BFMOT48060S B ME	1,490		
46 x 70	48 x 72	40.75	BFMOT48060S B ME	1,520		

☞ \$0 glides

☞ + \$220 casters (3.5"H locking)



* top not included

(ME) Standard metal powder coat finishes :

Black Wrinkle (BW), Chateau Brown Wrinkle (CB), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).